

## NON - INSULATED TERMINAL CRIMPING TOOL



**MRP: 680/-** **Capacity : 0.5mm<sup>2</sup> to 6mm<sup>2</sup>** **Weight : 400gm.**

## VIRAT-6

W Type Crimping

- Hand Operated Light Weight Crimping Pliers fitted with Jaws, are designed to have close metal-to-metal contact between Wires and Cable terminal ends.
- VIRAT-6 Ratchet type Crimping Pliers suitable for Non - insulated terminal end 0.5mm<sup>2</sup> to 6mm<sup>2</sup>.
- All parts are made from special Alloy Steel duly Hardened & Tempered.

## NON - INSULATED TERMINAL CRIMPING TOOL



**MRP: 880/-** **Capacity : 1.5mm<sup>2</sup> to 10mm<sup>2</sup>** **Weight : 525gm.**

## JOP-427

- Ratchet type Crimping Plier to crimp Cable Terminal End from 1.5mm<sup>2</sup> to 10mm<sup>2</sup>.
- This tool has unique interlocking device, the locked ratchet will not release it self till the crimping operation is completed to ensure crimping joints fool proof.
- All parts are made from special Alloy Steel duly Hardened & Tempered.

## NON - INSULATED TERMINAL CRIMPING TOOL



**MRP: 700/-** **Capacity : 0.5mm<sup>2</sup> to 6mm<sup>2</sup>** **Weight : 400gm.**

## SUPER-6

D Type Crimping

- Hand Operated Light Weight Crimping Pliers fitted with Jaws, are designed to have close metal-to-metal contact between Wires and Cable terminal ends.
- SUPER-6 Ratchet type Crimping Pliers suitable for Non - insulated terminal end 0.5mm<sup>2</sup> to 6mm<sup>2</sup>.
- All parts are made from special Alloy Steel duly Hardened & Tempered.

## NON - INSULATED TERMINAL CRIMPING TOOL



**MRP: 910/-** **Capacity : 0.5mm<sup>2</sup> to 16mm<sup>2</sup>** **Weight : 700gm.**

## SAMRAT-16

- Hand Operated heavy duty Ratchet type Crimping Tools to crimp Non - Insulated terminal end for 0.5mm<sup>2</sup> to 16mm<sup>2</sup>.
- Best Crimping result by precise Crimping Jaws and integral lock with self releasing Mechanism when correct pressure reached.
- All parts are made from special Alloy Steel duly Hardened & Tempered.

## INSULATED TERMINAL CRIMPING TOOL



**MRP: 1,550/-** **Capacity : 1.5,2.5,4-6mm<sup>2</sup>** **Weight : 550gm.**

## TRISHUL(3in1)

- Hand operated Light Weight Ratchet type crimping plier to crimp pre insulated cable Terminal Ends.
- Trishul is suitable for 3 in 1 pre insulated Cable Terminal Ends i.e 1.5,2.5,4-6mm<sup>2</sup>.
- The tool features an adjustment dial with six section to further enhance the quality of tool. This tool is designed as, push to release, and close to release.

## END SEALING FERRULES CRIMPING TOOL



**MRP: 1,550/-** **Capacity : 0.5mm<sup>2</sup> to 6mm<sup>2</sup>** **Weight : 550gm.**

## CHETAK-6

- Ratchet type tool is specially designed to crimp ends sealing ferrules, of size 0.5mm<sup>2</sup> to 6 mm<sup>2</sup>.
- The tool features an adjustment dial with six section to further enhance the quality of tool. This tool is designed as, push to release, and close to release.
- The tools are with the features of High effectiveness and a long life.

## END SEALING FERRULES CRIMPING TOOL



**MRP: 1,550/-** **Capacity : 10mm<sup>2</sup> to 16mm<sup>2</sup>** **Weight : 550gm.**

## CHETAK-16

- Ratchet tool is specially designed to crimp ends sealing ferrules, of size 10mm<sup>2</sup> to 16mm<sup>2</sup>.
- The tool features an adjustment dial with six section to further enhance the quality of tool. This tool is designed as, push to release, and close to release.
- Specially made from Alloy steel and all parts are Hardened & Tempered.

## OPEN BARREL TAB TERMINAL CRIMPING TOOL



**MRP: 1,670/-** **Capacity : 0.5-1.0,1.1-2.5,4-6mm<sup>2</sup>** **Weight : 550gm.**

## LUV-KUSH-6

- Hand operated Light Weight Ratchet type crimping plier to crimp open barrel tab Terminal ends with Capacity 0.5-1.0,1.1-2.5,4-6mm<sup>2</sup>.
- The tool features an adjustment dial with six section to further enhance the quality of tool. This tool is designed as, push to release, and close to release.
- Specially made from Alloy steel and all parts are Hardened & Tempered.

## END SEALING FERRULES CRIMPING TOOL (4 SPOTS CRIMPING)

(DIELESS)

### CHAKRA-6



MRP.: 1,750/-



Capacity : 0.5mm<sup>2</sup> to 6mm<sup>2</sup> Weight : 400gm.

- Light Weight Ratchet type Crimping Plier to crimp end Sealing Ferrules 0.5mm<sup>2</sup> to 6.0mm<sup>2</sup>.
- Self Adjustable Crimping Pliers.
- When Crimping with force the gripping force will evenly transfer to all the section i.e (4 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

## END SEALING FERRULES CRIMPING TOOL (6 SPOTS CRIMPING)

(DIELESS)

### SPIDER-6



MRP.: 2,400/-



Capacity : 0.5mm<sup>2</sup> to 6mm<sup>2</sup> Weight : 400gm.

- The design is unique due to light weight and energy saving .
- Light Weight Ratchet type Crimping Plier to crimp end sealing Ferrules 0.5mm<sup>2</sup> to 6mm<sup>2</sup>.
- When Crimping with force the gripping force will evenly transfer to all the section i.e (6 spots) of crimping terminal.
- Length of the pliers body is 175 mm.

## END SEALING FERRULES CRIMPING TOOL (4 SPOTS CRIMPING)

(DIELESS)

### CHAKRA-16



MRP.: 2,100/-



Capacity : 4mm<sup>2</sup> to 16mm<sup>2</sup> Weight : 520gm.

- Light Weight Ratchet type Crimping Plier to crimp end sealing Ferrules 4mm<sup>2</sup> to 16mm<sup>2</sup>.
- Self Adjustable Crimping Pliers.
- When Crimping with force the gripping force will evenly transfer to all the section i.e (4 Spots) of crimping terminal.
- Specially made from Alloy steel and precision parts are Hardened & Tempered.

## SOLAR CRIMPING TOOL

### MC-4



MRP.: 4,700/-

Capacity : 2.5/ 4 / 6mm<sup>2</sup> Weight : 670gm.

- MC 4 Male & Female Solar Connectors Crimping Tools Adopt High Precision Ratchet mechanism for complete crimps.
- MC 4 has 1.2 metric tons pressure at crimping force with minimum hand effort.
- EDM Crimping Jaw ensure an accurate crimping result.
- TPR+PP Handle material & ergonomically handle shape reducing the working fatigue.
- AWG - 14 - 10 AWG • Length - 270 mm



MRP.: 3,900/-


Weight : 650gm.



### TRISHAKTI

INSULATED / NON INSULATED & END SEALING FERRULES CRIMPING TOOL

- The tools is specially designed with precise crimping die sets without screw fixing.
- You can replace the die sets only by pushing ahead.
- Ideal crimping Tool for the connection of the power distributing cabinet.
- Provide - 2 sets of dies at both side for using and storing easily.



MRP.: 1,450/-

Capacity : 6mm<sup>2</sup> to 50mm<sup>2</sup> Weight : 1.600Kg.

### VIKRANT-50

- Manually Operated Dieless Light Weight Crimping tool, with rotating die of size 6mm<sup>2</sup> to 50mm<sup>2</sup>.
- Press the handle till the two portions of the die set touch each other, There by ensuring perfect Crimping.
- To release the die set, open the moving handle at a right angle of 90° degree .
- All precision parts are Hardened & Tempered.

## HEAVY DUTY COMPRESSION TOOL (DIELESS)

### ARJUN-50




MRP.: 2,500/-

Capacity : 16,25,35,50mm<sup>2</sup> Weight : 2.600Kg.

- ARJUN-50 Heavy Duty easy to operate Dieless Crimping Tool to Crimp 16,25,35,50mm<sup>2</sup> aluminium & copper tubular Terminal ends.
- ARJUN-50 is most convenient for crimping at remote places and in trenches too (i.e. for underground cables).
- All parts are made from EN-19 material which duly Hardened & Tempered.






**MRP.: 2,500/-**    **Capacity :** 6mm<sup>2</sup> to 50mm<sup>2</sup>    **Weight :** 2.500Kg.

(DIELESS)



**MRP.: 4,000/-**    **Capacity :** 10mm<sup>2</sup> to 95mm<sup>2</sup>    **Weight :** 3.900Kg.



**MRP.: 6,000/-**    **Capacity :** 10mm<sup>2</sup> to 95mm<sup>2</sup>    **Weight :** 3.600Kg.



**MRP.: 8,350/-**    **Capacity :** 10mm<sup>2</sup> to 120mm<sup>2</sup>    **Weight :** 2.400Kg.



**MRP.: 4,200/-**    **Capacity :** 10mm<sup>2</sup> to 120mm<sup>2</sup>    **Weight :** 4.200Kg.



**Capacity :** 10mm<sup>2</sup> to 95 mm<sup>2</sup>  
**Weight :** 5.400Kg.  
**Dies :** R-1 to R-10. (9 Sets)  
**MRP.: 5,800/-** (Except R-8)

( Hexagonal )

**Capacity :** 10mm<sup>2</sup> to 95 mm<sup>2</sup>  
**Weight :** 5.400Kg.  
**Dies :** H-10 to H-95. (7 Sets)  
**MRP.: 5,800/-**



**Capacity :** 10mm<sup>2</sup> to 185 mm<sup>2</sup>  
**Weight :** 7.300Kg.  
**Dies :** R-1 to R-13. (12 Sets)  
**MRP.: 7,050/-** (Except R-8)

( Hexagonal )

**Capacity :** 10mm<sup>2</sup> to 185 mm<sup>2</sup>  
**Weight :** 7.300Kg.  
**Dies :** H-10 to H-185 (10 Sets)  
**MRP.: 7,050/-**



## PLUTO-50

(HEAVY DUTY DIELESS 'W'PUNCH TYPE)

- Light Weight Dieless Crimping Tools to Crimp Aluminium & Copper tubular terminals ends upto 50 mm<sup>2</sup>
- All parts are made from special Alloy Steel duly Hardened & Tempered
- Adjust to Jaw Diemeter according to the size of terminals.
- length of the tools is 570 mm

## PLUTO-95

(DIELESS PUNCH TYPE)

- Light Weight Dieless Crimping Tools to Crimp Aluminium & Copper tubular terminals ends upto 95 mm<sup>2</sup>
- All parts are made from special Alloy Steel duly Hardened & Tempered
- Adjust to Jaw Diemeter according to the size of terminals.
- length of the tools is 635 mm

## AGNEE-95

(DIELESS)

- Heavy Duty Dieless Crimping Tool to Crimp aluminium & copper tubular terminal ends 10mm<sup>2</sup> to 95mm<sup>2</sup>.
- It is provided with 520 mm long handles fitted with the tool to minimize pressure force.
- The diameter of the crimping mouth can be adjusted according to the size of the terminal.
- All parts are made from special Alloy Steel duly Hardened & Tempered.

## EKLOVYA-120

(GEAR POWERED-DIELESS)

- Hand Operated Gear Powered Light weight Dieless Compression Tool to Crimp aluminium & copper tubular Terminal ends 10mm<sup>2</sup> to 120mm<sup>2</sup>.
- It is a multi stroke crimping Tool with ratchet pin lock, rapid motion and has a maximum opening of 90°.
- The diameter of the crimping mouth can be adjusted according to the size of the terminal.
- Packed in Regzine Bag.

## DELTA - 120

(Dieless Hexagonal Type)

- Compact dieless Crimping Tools to Crimp Aluminium & Copper tubular terminals ends upto 120 mm<sup>2</sup>
- All parts are made from special Alloy Steel duly Hardened & Tempered
- Most convenient for crimping at remote places and in trenches too.

(Ring)(Hexagonal)

## GRD-95

- Hand Operated Heavy duty Crimping Tool with Dies R-1 To R-10, (Except R-8) to crimp 10mm<sup>2</sup> to 95mm<sup>2</sup> aluminium & copper tubular terminal end.
- The tool has a detachable handle.
- The body of the Tool is made from special Alloy Steel.
- For the purpose of fixing the Equipment on the table, we have provided a stand and screw.
- Hand Operated Heavy duty Crimping Tool with Dies H-10 To H-95, to crimp 10 mm<sup>2</sup> to 95 mm<sup>2</sup> aluminium & copper tubular Terminal end.

(Ring)(Hexagonal)

## GRD-185

- Hand Operated Heavy duty Crimping Tool with Dies R-1 To R-11, Ring Type (Except R-8) and R-12 & R-13 Punch type to crimp 10 mm<sup>2</sup> to 185 mm<sup>2</sup> aluminium & Copper tubular terminal end.
- The tool has a detachable handle with additional adaptor Handles to minimize pressure force.
- The body of the Tool is made from special Alloy Steel.
- For the purpose of fixing the Equipment on the table, we have provided a stand and screw.

★“Provided dual gripper system in jaws & dies for perfect crimping”



MRP: 6350/-



(RING TYPE)



(HEXAGONAL TYPE)

(RING TYPE)

## VISHAL-185

- Hand Operated Mechanical crimping Tool with interchangeable Die sets R-1 to R-13, (Except R-8) to crimp 10mm<sup>2</sup> to 185mm<sup>2</sup> aluminium and copper tubular Terminal ends.
- Provided with a Dual gripper system in Jaws and Dies for perfect crimping.
- It is most convenient for crimping at remote places and in trenches too (i.e. for underground cables).
- Packed in Regzine Bag.

**Capacity :** 10mm<sup>2</sup> to 185mm<sup>2</sup> **Dies :** R-1 to R-13. (12 Sets)  
**Weight :** 7.100Kg.

(HEXAGONAL TYPE)

## VISHAL-185

- Hand Operated Mechanical crimping Tool with interchangeable Die sets H-10 to H- 185 to crimp 10mm<sup>2</sup> to 185mm<sup>2</sup> aluminium and copper tubular Terminal ends.

**Capacity :** 10mm<sup>2</sup> to 185mm<sup>2</sup> **Dies :** H-10 to H-185. (10 Sets)  
**Weight :** 7.100Kg.



MRP: 12,200/-

## SURYA-400

(PLIER TYPE)

- Hand Operated Heavy Duty Mechanical Crimping Tool provided with interchangeable Hex Pattern Die, suitable for 25 mm<sup>2</sup> to 400 mm<sup>2</sup>.
- It is most convenient for crimping at remote places and in trenches to (i.e. for underground cables)
- It is supplied with rubber moulded extension handles to increase Leverage and in turn reducing manual effort.
- The tool is packed in a very durable steel case.

**Capacity :** 25mm<sup>2</sup> to 400mm<sup>2</sup> **Dies :** H-25 to H-400 (11 Sets)  
**Weight :** 7.300Kg. **Packing :** Steel Case

(GEAR POWERED)



MRP: 13,900/-

**Aluminium Tubuler:** 25mm<sup>2</sup> to 400mm<sup>2</sup>  
**Coppr Tubuler :** 25mm<sup>2</sup> to 300mm<sup>2</sup>




## SANGRAM-400


- Hand Operated Gear powered light weight compression tool with Interchangeable Hex pattern Die to crimp aluminium Terminal end from 25mm<sup>2</sup> to 400mm<sup>2</sup> and copper terminal end from 25mm<sup>2</sup> to 300mm<sup>2</sup>.
- It is a multi stroke crimping Tool with ratchet pin lock, rapid motion and has a maximum opening of 90°.
- It is most convenient for crimping at remote places and in trenches too (i.e. for underground cables).
- It develops a maximum pressure at 100 kn. Packed in carrying Regzine Bag.

**Capacity :** 25mm<sup>2</sup> to 400mm<sup>2</sup> **Dies :** H-25 to H-400 (11 Sets)  
**Weight :** 5.800Kg.

(HYDRAULIC POWERED)



### PRECAUTION



## AAKASH-400 & AAKASH-500

**AAKASH-400 & AAKASH-500** is a Dieless flip-top Hand Operated Hydraulic Crimping Tool with a universally rotating Crimping Head through 360°. It has a Hydraulic pump made from drawn alloy steel Rod fitted with an automatic “BLOW-OFF” Valve preset at 8500 PSI. To prevent excessive pressure and ensure fool proof Crimping. A clear click sound is heard on completion of crimping of cable Terminal End. An Extra feature is the novel presence of a specially designed CLASSIC handle to lock. The crimping jaws in any Predet ermined position to avoid unnecessary strokes while Crimping the same size of cable Terminal End. This tool is most ideal for Cable Terminal End as well as inline connectors ferrules. It is also most suitable for tension and non-tension jointing of both AAC ACSR conductor without the need for any separate steel sleeve for ACSR Conductors.

### AAKASH-400

**Capacity :** Up to 400mm<sup>2</sup>  
**Weight :** 5.800Kg.

MRP: 21,000/-

### AAKASH-500

**Capacity :** Up to 500mm<sup>2</sup>  
**Weight :** 5.800Kg.

MRP: 22,000/-