





FEATURES

- Ability to withstand a wide range of voltages
- finger proof powder coated guards
 Jerk free & uniform oscillation
- Dynamically balanced blade for vibration free rotation
 Wider air spread
- Aluminium body heavy duty motor

- Over Temperature Protectors

 Current fuse for complete fan protection

 High speed motor and superior air delivery

SPECIFICATIONS

	Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (m³/min)		
Normal Speed	400	1350	60	75		
High Speed	300	2200	80	75		
High Speed	400	2200	115	95		

* Applicable only for high speed







FEATURES

- Attractive colour combination
- Pull cord control for speed and oscillation On-Off
- Aerodynamically designed and balanced blades
- High performance motor and superior air delivery
- High performance even in low voltage
- Smooth Oscillation
- Thermal overload protector for additional protection
- during sudden voltage fluctuations
- 3 speed control
- Sturdy base to hold the entire fan family on the wall
- Current fuse for complete fan protection

SPECIFICATIONS

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (m³/min)
400	1350	60	75











FEATURES

- High speed motor and superior air delivery

- High performance even in low voltage
 Hull conditional transportation on-off
 Aerodynamically designed and balanced blades
- Thermal overload protector for additional protection during sudden voltage fluctuations

 Sturdy base to hold the entire fan family on the wall

 3 speed control

- Current fuse for complete fan protection

SPECIFICATIONS

Sweep (mm)	Speed (RPM)	Power (W)	Air Delivery (m³/min)
300	2100	80	75
400	2200	115	95



