

 **ANCHOR**

by **Panasonic**

ROMA
URBAN

**SWITCH
ON
INSPIRATION**



PRICELIST: JUNE 2021

SWITCH TO THE WORLD OF GLAMOUR.



SLIM & SLEEK DESIGN

The special slim & sleek design of the new ROMA range is crafted for the modern generation who want their space to be more than just a space. The unique curve design of the cover plate gives these switches a smooth finish. The curved look makes the space classier and more glamorous.




SUPER GLOSSY FINISH

The super glossy finish gives these switches the ultimate premium look. They effortlessly complement the interior decoration of a space. Plus, the design also ensures that dust does not settle easily.


EXTRA SAFETY


Urea back and front PC of V0 grade material used provides extra safety. It has flame retardant properties, which makes the switches safer with a longer lifespan. It also has higher heat resistance properties as compared to PC of other grades and thermoplastics. In addition to this, the moulding of the switches is not easy. The technology used in developing the special designs and shapes involves high cost and hi tech infrastructure, which makes the duplication of the product very difficult.



TOGGLED TECHNOLOGY

The all new range of ROMA is not only pleasing to the eyes but also to the ears. Toggle type mechanism is an advanced switch operation technique which provides soft sound. It makes the switches easy to operate and also increases the lifespan of the switch.





16A,20A,25A Switch not suggested for geyser load. Instead MCB/Motor Stater must be used.

Item	Description	HSN	MRP ₹ Per N (incl. of all taxes)	Standard Packing Quantity
SWITCHES, 10AX (ISI)				
66101	10AX, 1Way Switch, 1 Module	85361010	136.00	20N
66111	10AX, 1Way Switch with Indicator, 1 Module	85361010	148.00	20N
66102	10AX, 2Way Switch, 1 Module	85361010	149.00	20N
66103	10A, Bell Push Switch, 1 Module	85361010	149.00	20N
66133	10A, Bell Push Switch with Indicator, 1 Module	85361010	163.00	20N
66201	10AX, 1Way Switch, 2 Module	85361010	153.00	10N
66211	10AX, 1Way Switch with Indicator, 2 Module	85361010	173.00	10N
66202	10AX, 2Way Switch, 2 Module	85361010	173.00	10N

BELL PUSH (ISI)				
66203	10A, Bell Push Switch, 2 Module	85361010	173.00	10N
66233	10A, Bell Push Switch with Indicator, 2 Module	85361010	190.00	10N
66333	10A, Bell Push Switch with Indicator, 3 Module	85361010	215.00	5N

SWITCHES, 20A (ISI)				
66104	20A, 1Way Switch, 1 Module	85361020	169.00	20N
66144	20A, 1Way Switch with Indicator, 1 Module	85361020	201.00	20N
66105	20A, 2Way Switch, 1 Module	85361020	186.00	20N
66204	20A, 1Way Switch, 2 Module	85361020	209.00	10N
66244	20A, 1Way Switch with Indicator, 2 Module	85361020	229.00	10N
66205	20A, 2Way Switch, 2 Module	85361020	223.00	10N
66301	20A, 1Way Switch, 3 Module	85361020	258.00	5N
66311	20A, 1Way Switch with Indicator, 3 Module	85361020	322.00	5N
66302	20A, 2Way Switch, 3 Module	85361020	318.00	5N



POWER SWITCHES (ISI)				
66325	25A, S.P, 1Way Switch with Indicator, 1 Module	85361020	245.00	10N
66332	32A, D.P, 1Way Switch with Indicator, 2 Module	85361020	311.00	10N

MOTOR STARTER SWITCHES				
66020	20A, Motor Starter Switch, 2 Module	85361020	461.00	10N
66025	25A, Motor Starter Switch, 2 Module	85369010	461.00	10N

*16A, 20A, 25A Switch not suggested for geyser load. Instead MCB/Motor Stater must be used.

SOCKETS WITH SAFETY SHUTTER				
66401*	6A, 2Pin Uro Socket, 1 Module	85366910	117.00	20N
66408	6A, 2 Pin Round Socket (with Shutter), 1 Module	85366910	117.00	20N
66402	6A, 3Pin Socket, 2 Module, ISI	85366910	156.00	10N
66403*	10A, Multi Socket, 2 Module	85366910	170.00	10N
66404	16A, 3Pin Socket, 2 Module, ISI	85366910	250.00	10N
66414*	25A, 3Pin Socket, 2 Module	85366910	291.00	10N
66405*	20A/10A, Twin Socket, 2 Module	85366910	272.00	10N
66455	6A/16A, Twin Socket, ISI, 2 Module	85366910	302.00	10N
66406	6A/16A, Twin Socket, 3 Module, ISI	85366910	317.00	5N
66407*	13A/10A/6A, Combi Socket for all Pins, 2 Module	85366910	281.00	10N

*Limited Stock, to be discontinued as per BIS guideline



Item	Description	HSN	MRP ₹ Per N (incl. of all taxes)	Standard Packing Quantity
FAN REGULATORS & DIMMERS				
66501	100W, Step Fan Regulator, 1 Module	84149030	452.00	20N
66502	100W, Step Fan Regulator, 2 Module	84149030	605.00	10N
66503	100W, Step Fan Regulator, 2 Module (ISI)	84149030	614.00	10N
66504	100W, Step Fan Regulator (For High Speed Fans)	84149030	625.00	10N
66505	450W, Dimmer, 1 Module (Incandescent Lamp)	85365020	405.00	20N
66506	650W, Dimmer, 2 Module (Incandescent Lamp)	85365020	551.00	10N
66507	150W, Dimmer for LED 2 Module	85365090	1291.00	10N

SUPPORT MODULES				
66551	RJ11, Tel Jack, Single with Shutter, 1 Module	85366910	141.00	20N
66552	RJ11, Tel Jack, Double w/o Shutter, 1 Module	85366910	200.00	20N
66555	RJ45, Receptor With Shutter, 1 Module	85366910	142.00	20N
66556	RJ45, Computer Socket, Cat 5e, 1 Module	85366910	514.00	20N
66557	RJ45, Computer Socket, Cat 6, 1 Module	85366910	585.00	20N
66601	Cord Outlet with Grip, 1 Module	85366910	117.00	20N
66602	TV Socket Outlet, 1 Module	85365090	141.00	20N
66603	Buzzer,Dura, 2 Module	85318000	173.00	10N
66604	Blank Plate, 1 Module	85389000	34.00	50N
66644	Blank Plate, 2 Module	85389000	56.00	20N
66606	6A, Overload Protection - Manual Resettable Fuse, 1 Module	85361010	177.00	20N
66616	16A, Overload Protection - Manual Resettable Fuse, 1 Module	85361020	177.00	20N
66605R	Indicator - LED (Red), 1 Module	85395000	166.00	10N
66605N	Indicator - LED (Natural), 1 Module	85395000	166.00	10N
66605G	Indicator - LED (Green), 1 Module	85395000	166.00	10N
66608	Satellite Socket	85365090	263.00	10N
66709	USB-A Charger, Single Port(1A, 5V DC), 1 Module	85044090	935.00	20N
66710	USB-A Charger, Double Port(2.0A, 5V DC), 2 Module (CRS Certified)	85044090	1735.00	6N
66715	USB-A Charger, Single Port(2.1A, 5V DC), 1 Module (CRS Certified)	85044090	1047.00	20N
66711	High-Definition Multimedia Interface, 1 Module	85444999	989.00	10N
66712	Audio Video Socket, 1 Module	85366910	439.00	10N
66609	Bluetooth Speaker, 2 Module	85182900	2411.00	6N

HOSPITALITY RANGE				
66701	20A, Electronic Keycard Unit with 30 Sec time delay, 3 Module	85365090	1928.00	6N
66702	DND MMR Internal unit (DND Switch, MMR Switch), 2 Module	85365090	511.00	5N
66703	DND MMR External unit (DND Indicator, MMR Indicator & Bell Push Switch), 2 Module	85365090	683.00	5N
66704	20VA, Shaver Socket with Transformer (With 4 Module Curve Plate), White	85365090	2268.00	5N
66714	20VA, Shaver Socket with Transformer (With 4 Module Square Plate), White	85365090	2268.00	5N
66705	Bell Call Indicator, 1 Module	85318000	319.00	20N
66706	Foot Light, Led Based(Cool Day Light),3 Module	94054090	498.00	6N
66766	Foot Light, Led Based(Warm White Light),3 Module	94054090	498.00	6N
66707	Foot Light with PIR (Cool Day Light) , 2 Module	94054090	3912.00	6N
66777	Foot Light with PIR (Warm White) , 2 Module	94054090	3912.00	6N
66607	Emergency LED Light Unit	94056010	813.00	6N
66708	PIR Sensor, 2 Module	90318000	3401.00	6N


BLACK



66101B 66111B 66102B 66103B 66133B 66201B



66211B 66202B




66203B 66233B 66333B




66104B 66144B 66105B 66204B 66244B 66205B



66301B 66311B 66302B



66325B 66332B 66020B 66025B



66401B 66408B 66402B 66403B 66404B



66405B 66406B 66407B
66455B

16A,20A,25A Switch not suggested for geyser load. Instead MCB/Motor Stater must be used.

Item	Description	HSN	MRP ₹ Per N (incl. of all taxes)	Standard Packing Quantity
SWITCHES, 10AX (ISI)				
66101B	10AX, 1Way Switch, 1 Module	85361010	142.00	20N
66111B	10AX, 1Way Switch with Indicator, 1 Module	85361010	157.00	20N
66102B	10AX, 2Way Switch, 1 Module	85361010	153.00	20N
66103B	10A, Bell Push Switch, 1 Module	85361010	158.00	20N
66133B	10A, Bell Push Switch with Indicator, 1 Module	85361010	170.00	20N
66201B	10AX, 1Way Switch, 2 Module	85361010	160.00	10N
66211B	10AX, 1Way Switch with Indicator, 2 Module	85361010	183.00	10N
66202B	10AX, 2Way Switch, 2 Module	85361010	183.00	10N

BELL PUSH (ISI)				
66203B	10A, Bell Push Switch, 2 Module	85361010	183.00	10N
66233B	10A, Bell Push Switch with Indicator, 2 Module	85361010	199.00	10N
66333B	10A, Bell Push Switch with Indicator, 3 Module	85361010	227.00	5N

SWITCHES, 20A (ISI)				
66104B	20A, 1Way Switch, 1 Module	85361020	178.00	20N
66144B	20A, 1Way Switch with Indicator, 1 Module	85361020	212.00	20N
66105B	20A, 2Way Switch, 1 Module	85361020	194.00	20N
66204B	20A, 1Way Switch, 2 Module	85361020	219.00	10N
66244B	20A, 1Way Switch with Indicator, 2 Module	85361020	243.00	10N
66205B	20A, 2Way Switch, 2 Module	85361020	234.00	10N
66301B	20A, 1Way Switch, 3 Module	85361020	270.00	5N
66311B	20A, 1Way Switch with Indicator, 3 Module	85361020	304.00	5N
66302B	20A, 2Way Switch, 3 Module	85361020	335.00	5N

POWER SWITCHES (ISI)				
66325B	25A, S,P, 1Way Switch with Indicator, 1 Module	85361020	256.00	10N
66332B	32A, D,P, 1Way Switch with Indicator, 2 Module	85361020	326.00	10N

MOTOR STARTER SWITCHES				
66020B	20A, Motor Starter Switch, 2 Module	85361020	477.00	10N
66025B	25A, Motor Starter Switch, 2 Module	85369010	477.00	10N

*16A, 20A, 25A Switch not suggested for geyser load. Instead MCB/Motor Stater must be used.

SOCKETS WITH SAFETY SHUTTER				
66401B*	6A, 2Pin Uro Socket, 1 Module	85366910	125.00	20N
66408B	6A, 2 Pin Round Socket (with Shutter), 1 Module	85366910	125.00	20N
66402B	6A, 3Pin Socket, 2 Module, ISI	85366910	162.00	10N
66403B*	10A, Multi Socket, 2 Module	85366910	177.00	10N
66404B	16A, 3Pin Socket, 2 Module, ISI	85366910	261.00	10N
66414B*	25A, 3Pin Socket, 2 Module	85366910	307.00	10N
66405B*	20A/10A, Twin Socket, 2 Module	85366910	285.00	10N
66455B	6A/16A, Twin Socket, ISI, 2 Module	85366910	318.00	10N
66406B	6A/16A, Twin Socket, 3 Module, ISI	85366910	333.00	5N
66407B*	13A/10A/6A, Combi Socket for all Pins, 2 Module	85366910	296.00	10N

*Limited Stock, to be discontinued as per BIS guideline

BLACK



66501B 66502B 66503B 66505B 66506B
66504B 66504B 66507B




66551B 66552B 66555B 66601B 66602B 66603B
66556B 66556B 66557B



66604B 66644B 66606B 66605R 66605N 66605G
66616B




66608B 66709B 66710B 66715B 66711B 66712B




66609B



66701B 66702B 66703B
(Indoor Unit) (Outdoor Unit)



66704B 66714B 66705B




Item	Description	HSN	MRP ₹ Per N (incl. of all taxes)	Standard Packing Quantity
FAN REGULATORS & DIMMERS				
66501B	100W, Step Fan Regulator, 1 Module	84149030	474.00	20N
66502B	100W, Step Fan Regulator, 2 Module	84149030	633.00	10N
66503B	100W, Step Fan Regulator, 2 Module (ISI)	84149030	643.00	10N
66504B	100W, Step Fan Regulator (For High Speed Fans)	84149030	658.00	10N
66505B	450W, Dimmer, 1 Module (Incandescent Lamp)	85365020	427.00	20N
66506B	650W, Dimmer, 2 Module (Incandescent Lamp)	85365020	577.00	10N
66507B	150W, Dimmer for LED 2 Module	85365090	1356.00	10N

SUPPORT MODULES				
66551B	RJ11, Tel Jack, Single with Shutter, 1 Module	85366910	146.00	20N
66552B	RJ11, Tel Jack, Double w/o Shutter, 1 Module	85366910	209.00	20N
66555B	RJ45, Receptor With Shutter, 1 Module	85366910	149.00	20N
66556B	RJ45, Computer Socket, Cat 5e, 1 Module	85366910	539.00	20N
66557B	RJ45, Computer Socket, Cat 6, 1 Module	85366910	616.00	20N
66601B	Cord Outlet with Grip, 1 Module	85366910	122.00	20N
66602B	TV Socket Outlet, 1 Module	85365090	146.00	20N
66603B	Buzzer,Dura, 2 Module	85318000	182.00	10N
66604B	Blank Plate, 1 Module	85389000	35.00	50N
66644B	Blank Plate, 2 Module	85389000	60.00	20N
66606B	6A, Overload Protection - Manual Resettable Fuse, 1 Module	85361010	186.00	20N
66616B	16A, Overload Protection - Manual Resettable Fuse, 1 Module	85361020	186.00	20N
66605R	Indicator - LED (Red), 1 Module	85395000	166.00	10N
66605N	Indicator - LED (Natural), 1 Module	85395000	166.00	10N
66605G	Indicator - LED (Green), 1 Module	85395000	166.00	10N
66608B	Satellite Socket	85365090	296.00	10N
66709B	USB-A Charger, Single Port(1A, 5V DC), 1 Module	85044090	978.00	20N
66710B	USB-A Charger, Double Port(2.0A, 5V DC), 2 Module (CRS Certified)	85044090	1820.00	6N
66715B	USB-A Charger, Single Port(2.1A, 5V DC), 1 Module (CRS Certified)	85044090	1102.00	20N
66711B	High-Definition Multimedia Interface, 1 Module	85444999	1444.00	10N
66712B	Audio Video Socket, 1 Module	85366910	462.00	10N
66609B	Bluetooth Speaker, 2 Module	85182900	2532.00	6N

HOSPITALITY RANGE				
66701B	20A, Electronic Keycard Unit with 30 Sec time delay, 3 Module	85365090	2024.00	6N
66702B	DND MMR Internal unit (DND Switch, MMR Switch), 2 Module	85365090	535.00	5N
66703B	DND MMR External unit (DND Indicator, MMR Indicator & Bell Push Switch), 2 Module	85365090	716.00	5N
66704B	20VA, Shaver Socket with Transformer (With 4 Module Curve Plate), White	85365090	2382.00	5N
66714B	20VA, Shaver Socket with Transformer (With 4 Module Square Plate), White	85365090	2382.00	5N
66705B	Bell Call Indicator, 1 Module	85318000	336.00	20N
66706B	Foot Light,Led Based(Cool Day Light),3 Module	94054090	525.00	6N
66766B	Foot Light,Led Based(Warm White Light),3 Module	94054090	525.00	6N
66707B	Foot Light with PIR (Cool Day Light) , 2 Module	94054090	4168.00	6N
66777B	Foot Light with PIR (Warm White) , 2 Module	94054090	4168.00	6N
66607B	Emergency LED Light Unit	94056010	857.00	6N
66708B	PIR Sensor, 2 Module	90318000	3629.00	6N

SILVER



Item	Description	HSN	MRP ₹ Per N (incl. of all taxes)	Standard Packing Quantity
SWITCHES, 10AX (ISI)				
66101S	10AX, 1Way Switch, 1 Module	85361010	142.00	20N
66111S	10AX, 1Way Switch with Indicator, 1 Module	85361010	157.00	20N
66102S	10AX, 2Way Switch, 1 Module	85361010	153.00	20N
66103S	10A, Bell Push Switch, 1 Module	85361010	158.00	20N
66133S	10A, Bell Push Switch with Indicator, 1 Module	85361010	170.00	20N
66201S	10AX, 1Way Switch, 2 Module	85361010	160.00	10N
66211S	10AX, 1Way Switch with Indicator, 2 Module	85361010	183.00	10N
66202S	10AX, 2Way Switch, 2 Module	85361010	183.00	10N

BELL PUSH (ISI)				
66203S	10A, Bell Push Switch, 2 Module	85361010	183.00	10N
66233S	10A, Bell Push Switch with Indicator, 2 Module	85361010	199.00	10N
66333S	10A, Bell Push Switch with Indicator, 3 Module	85361010	227.00	5N

SWITCHES, 20A (ISI)				
66104S	20A, 1Way Switch, 1 Module	85361020	178.00	20N
66144S	20A, 1Way Switch with Indicator, 1 Module	85361020	212.00	20N
66105S	20A, 2Way Switch, 1 Module	85361020	194.00	20N
66204S	20A, 1Way Switch, 2 Module	85361020	219.00	10N
66244S	20A, 1Way Switch with Indicator, 2 Module	85361020	243.00	10N
66205S	20A, 2Way Switch, 2 Module	85361020	234.00	10N
66301S	20A, 1Way Switch, 3 Module	85361020	270.00	5N
66311S	20A, 1Way Switch with Indicator, 3 Module	85361020	339.00	5N
66302S	20A, 2Way Switch, 3 Module	85361020	335.00	5N

POWER SWITCHES (ISI)				
66325S	25A, S,P, 1Way Switch with Indicator, 1 Module	85361020	256.00	10N
66332S	32A, D,P, 1Way Switch with Indicator, 2 Module	85361020	326.00	10N

MOTOR STARTER SWITCHES				
66020S	20A, Motor Starter Switch, 2 Module	85361020	477.00	10N
66025S	25A, Motor Starter Switch, 2 Module	85369010	477.00	10N


*16A, 20A, 25A Switch not suggested for geyser load. Instead MCB/Motor Stater must be used.

SOCKETS WITH SAFETY SHUTTER				
66401S*	6A, 2Pin Uro Socket, 1 Module	85366910	125.00	20N
66408S	6A, 2 Pin Round Socket (with Shutter), 1 Module	85366910	125.00	20N
66402S	6A, 3Pin Socket, 2 Module, ISI	85366910	162.00	10N
66403S*	10A, Multi Socket, 2 Module	85366910	177.00	10N
66404S	16A, 3Pin Socket, 2 Module, ISI	85366910	261.00	10N
66414S*	25A, 3Pin Socket, 2 Module	85366910	307.00	10N
66405S*	20A/10A, Twin Socket, 2 Module	85366910	285.00	10N
66455S	6A/16A, Twin Socket, ISI, 2 Module	85366910	318.00	10N
66406S	6A/16A, Twin Socket, 3 Module, ISI	85366910	333.00	5N
66407S*	13A/10A/6A, Combi Socket for all Pins, 2 Module	85366910	296.00	10N

*Limited Stock, to be discontinued as per BIS guideline

16A,20A,25A Switch not suggested for geyser load. Instead MCB/Motor Stater must be used.

SILVER



Item	Description	HSN	MRP ₹ Per N (incl. of all taxes)	Standard Packing Quantity
FAN REGULATORS & DIMMERS				
66501S	100W, Step Fan Regulator, 1 Module	84149030	474.00	20N
66502S	100W, Step Fan Regulator, 2 Module	84149030	633.00	10N
66503S	100W, Step Fan Regulator, 2 Module (ISI)	84149030	643.00	10N
66504S	100W, Step Fan Regulator (For High Speed Fans)	84149030	658.00	10N
66505S	450W, Dimmer, 1 Module (Incandescent Lamp)	85365020	427.00	20N
66506S	650W, Dimmer, 2 Module (Incandescent Lamp)	85365020	577.00	10N
66507S	150W, Dimmer for LED 2 Module	85365090	1356.00	10N

SUPPORT MODULES				
66551S	RJ11, Tel Jack, Single with Shutter, 1 Module	85366910	146.00	20N
66552S	RJ11, Tel Jack, Double w/o Shutter, 1 Module	85366910	209.00	20N
66555S	RJ45, Receptor With Shutter, 1 Module	85366910	149.00	20N
66556S	RJ45, Computer Socket, Cat 5e, 1 Module	85366910	539.00	20N
66557S	RJ45, Computer Socket, Cat 6, 1 Module	85366910	616.00	20N
66601S	Cord Outlet with Grip, 1 Module	85366910	122.00	20N
66602S	TV Socket Outlet, 1 Module	85365090	146.00	20N
66603S	Buzzer,Dura, 2 Module	85318000	182.00	10N
66604S	Blank Plate, 1 Module	85389000	35.00	50N
66644S	Blank Plate, 2 Module	85389000	60.00	20N
66606S	6A, Overload Protection - Manual Resettable Fuse, 1 Module	85361010	186.00	20N
66616S	16A, Overload Protection - Manual Resettable Fuse, 1 Module	85361020	186.00	20N
66605R	Indicator - LED (Red), 1 Module	85395000	166.00	10N
66605N	Indicator - LED (Natural), 1 Module	85395000	166.00	10N
66605G	Indicator - LED (Green), 1 Module	85395000	166.00	10N
66608S	Satellite Socket	85365090	296.00	10N
66709S	USB-A Charger, Single Port(1A, 5V DC), 1 Module	85044090	978.00	20N
66710S	USB-A Charger, Double Port(2.0A, 5V DC), 2 Module (CRS Certified)	85044090	1820.00	6N
66715S	USB-A Charger, Single Port(2.1A, 5V DC), 1 Module (CRS Certified)	85044090	1102.00	20N
66711S	High-Definition Multimedia Interface, 1 Module	85444999	1444.00	10N
66712S	Audio Video Socket, 1 Module	85366910	462.00	10N
66609S	Bluetooth Speaker, 2 Module	85182900	2532.00	6N

HOSPITALITY RANGE				
66701S	20A, Electronic Keycard Unit with 30 Sec time delay, 3 Module	85365090	2024.00	6N
66702S	DND MMR Internal unit (DND Switch, MMR Switch), 2 Module	85365090	535.00	5N
66703S	DND MMR External unit (DND Indicator, MMR Indicator & Bell Push Switch), 2 Module	85365090	716.00	5N
66704S	20VA, Shaver Socket with Transformer (With 4 Module Curve Plate), White	85365090	2382.00	5N
66714S	20VA, Shaver Socket with Transformer (With 4 Module Square Plate), White	85365090	2382.00	5N
66705S	Bell Call Indicator, 1 Module	85318000	336.00	20N
66706S	Foot Light, Led Based(Cool Day Light),3 Module	94054090	525.00	6N
66766S	Foot Light, Led Based(Warm White Light),3 Module	94054090	525.00	6N
66707S	Foot Light with PIR (Cool Day Light) , 2 Module	94054090	4168.00	6N
66777S	Foot Light with PIR (Warm White) , 2 Module	94054090	4168.00	6N
66607S	Emergency LED Light Unit	94056010	857.00	6N
66708S	PIR Sensor, 2 Module	90318000	3629.00	6N

ONLY COVER PLATE FRAME

(HSN Code - 85381090)


SHEEN



COLOUR	MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Square	12 Module	16 Module	18 Module
Gold	CODE	66901GD-C	66902GD-C	66903GD-C	66904GD-C	66906GD-C	66908GD-C	66988GD-C	66912GD-C	66916GD-C	66918GD-C
	MRP ₹ Per N (incl. of all taxes)	735.00	735.00	852.00	999.00	1302.00	1469.00	1469.00	2157.00	2720.00	2827.00
Brushed Aluminum	CODE	66901BA-C	66902BA-C	66903BA-C	66904BA-C	66906BA-C	66908BA-C	66988BA-C	66912BA-C	66916BA-C	66918BA-C
	MRP ₹ Per N (incl. of all taxes)	615.00	615.00	711.00	833.00	1086.00	1223.00	1223.00	1796.00	2275.00	2364.00
	Standard Packing Quantity	5N	5N	5N	5N	5N	5N	5N	5N	5N	5N

BASE FRAME FOR COLOUR PLATE

(HSN Code - 85381090)



COLOUR	MODULE	1 Module	2 Module	3 Module	4 Module	6 Module	8 Module Horizontal	8 Module Square	9 Module Horizontal	12 Module	16 Module	18 Module
Colour Plate	CODE	66801C-I	66802C-I	66803C-I	66804C-I	66806C-I	66808C-I	66888C-I	66809C-I	66812C-I	66816C-I	66818C-I
Glass & Metal Plate	CODE	66901MG-I	66902MG-I	66903MG-I	66904MG-I	66906MG-I	66908MG-I	66988MG-I	-	66912MG-I	66916MG-I	66918MG-I
	MRP ₹ Per N (incl. of all taxes)	68.00	68.00	88.00	101.00	140.00	178.00	178.00	220.00	244.00	246.00	259.00
	Standard Packing Quantity	5N	5N	5N	5N	5N	5N	5N	5N	5N	5N	5N



66662



66663



66664

Item	Description	HSN	MRP ₹ Per N (incl. of all taxes)	Standard Packing Quantity
WEATHERPROOF BOX, IP55				
66662	2M, Weatherproof Box (IP55), Grey Colour	85365090	997.00	20N
66663	3M, Weatherproof Box (IP55), Grey Colour	85365090	1068.00	20N
66664	4M, Weatherproof Box (IP55), Grey Colour	85365090	1139.00	20N

Note : Antimicrobial series is also available through pre order



Roma Mini MCB SP



Roma Mini MCB DP



Roma Mini MCB SP




Roma Mini MCB DP



Roma Mini MCB SP



Roma Mini MCB DP



66770

Item	Description	HSN	MRP ₹ Per N (incl. of all taxes)	Standard Packing Quantity
ROMA MINI MODULAR SP MCB 'C' TYPE (WHITE)				
66151	ROMA 6A SP 'C' MINI MCB	85362030	260.00	12N
66152	ROMA 10A SP 'C' MINI MCB	85362030	260.00	12N
66153	ROMA 16A SP 'C' MINI MCB	85362030	260.00	12N
66154	ROMA 20A SP 'C' MINI MCB	85362030	260.00	12N
66155	ROMA 25A SP 'C' MINI MCB	85362030	260.00	12N
66156	ROMA 32A SP 'C' MINI MCB	85362030	260.00	12N
ROMA MINI MODULAR DP MCB 'C' TYPE (WHITE)				
66157	ROMA 6A DP 'C' MINI MCB	85362030	530.00	6N
66158	ROMA 10A DP 'C' MINI MCB	85362030	530.00	6N
66159	ROMA 16A DP 'C' MINI MCB	85362030	530.00	6N
66160	ROMA 20A DP 'C' MINI MCB	85362030	530.00	6N
66161	ROMA 25A DP 'C' MINI MCB	85362030	530.00	6N
66162	ROMA 32A DP 'C' MINI MCB	85362030	530.00	6N
ROMA MINI MODULAR SP MCB 'C' TYPE (BLACK)				
66151B	ROMA 6A SP 'C' MINI MCB (BLACK)	85362030	285.00	12N
66152B	ROMA 10A SP 'C' MINI MCB (BLACK)	85362030	285.00	12N
66153B	ROMA 16A SP 'C' MINI MCB (BLACK)	85362030	285.00	12N
66154B	ROMA 20A SP 'C' MINI MCB (BLACK)	85362030	285.00	12N
66155B	ROMA 25A SP 'C' MINI MCB (BLACK)	85362030	285.00	12N
66156B	ROMA 32A SP 'C' MINI MCB (BLACK)	85362030	285.00	12N
ROMA MINI MODULAR DP MCB 'C' TYPE (BLACK)				
66157B	ROMA 6A DP 'C' MINI MCB (BLACK)	85362030	570.00	6N
66158B	ROMA 10A DP 'C' MINI MCB (BLACK)	85362030	570.00	6N
66159B	ROMA 16A DP 'C' MINI MCB (BLACK)	85362030	570.00	6N
66160B	ROMA 20A DP 'C' MINI MCB (BLACK)	85362030	570.00	6N
66161B	ROMA 25A DP 'C' MINI MCB (BLACK)	85362030	570.00	6N
66162B	ROMA 32A DP 'C' MINI MCB (BLACK)	85362030	570.00	6N
ROMA MINI MODULAR SP MCB 'C' TYPE (SILVER)				
66151S	ROMA 6A SP 'C' MINI MCB (SILVER)	85362030	285.00	12N
66152S	ROMA 10A SP 'C' MINI MCB (SILVER)	85362030	285.00	12N
66153S	ROMA 16A SP 'C' MINI MCB (SILVER)	85362030	285.00	12N
66154S	ROMA 20A SP 'C' MINI MCB (SILVER)	85362030	285.00	12N
66155S	ROMA 25A SP 'C' MINI MCB (SILVER)	85362030	285.00	12N
66156S	ROMA 32A SP 'C' MINI MCB (SILVER)	85362030	285.00	12N
ROMA MINI MODULAR DP MCB 'C' TYPE (SILVER)				
66157S	ROMA 6A DP 'C' MINI MCB (SILVER)	85362030	570.00	6N
66158S	ROMA 10A DP 'C' MINI MCB (SILVER)	85362030	570.00	6N
66159S	ROMA 16A DP 'C' MINI MCB (SILVER)	85362030	570.00	6N
66160S	ROMA 20A DP 'C' MINI MCB (SILVER)	85362030	570.00	6N
66161S	ROMA 25A DP 'C' MINI MCB (SILVER)	85362030	570.00	6N
66162S	ROMA 32A DP 'C' MINI MCB (SILVER)	85362030	570.00	6N
FLOOR JUNCTION BOX				
66770	18Module Floor Junction Box	85381090	7186.00	1N



TERMS AND CONDITIONS

- 1) Prices are in Indian ₹.
- 2) All prices are subject to the general terms and conditions of our business.
- 3) Prices are subject to change without prior notice.
- 4) This price list supersedes all our previous price lists.
- 5) If any dispute should arise it will be subject to Thane jurisdiction.
- 6) Company reserves the right to issue amendments which may arise due to any errors in the price list.
- 7) Colour in images are for reference purpose only, please see product for actual colour.

Due to continuous improvements in product design and development and manufacturing methods, the product may differ in some aspects from the details provided herein.

PANASONIC LIFE SOLUTIONS INDIA PVT. LTD.

Corporate & Head Office: 3rd Floor, B Wing, I-Think Techno Campus,
Pokharan Road No.2, Thane (W), Thane - 400 607, Maharashtra.
Tel. 022 4222 8888 | Fax. 022 4222 8884
Customer Care no.: 022-41304130 | WhatsApp: 9136028606
Email: wecare@in.panasonic.com | www.lsin.panasonic.com

Registered Office: 12th Floor, Ambience Tower, Ambience Island,
NH-48, Gurugram - 122 002, Haryana.

Distributor / Dealer Stamp